FAB-subtype M2 with t(8;21 Figure 1a Principal Component Analysis **©** FAB-subtype M4eo with inv(16) FAB-subtype M3/M3v with t(15;17)




Figure 2 Classification Accuracy

accuracy ((15:17) - ((8:21)	1(15:17) - inv(16)	inv(16) - t(8;21)	(8:21) 1(15:17) - inv(16) inv(16) - 1(8;21) 1(8;21) - R 1(15;17) - R inv(16) - R
		800	***************************************
078556	3		1000 July 1000 J
W98539			1,000
V07846			1,00
W63582			1,000 - 2,77,5 - 3,44,6 - 3,54,6 - 3,54,6 - 3,54,6 - 3,54,6 - 3,54,6 - 3,54,6 - 3,54,6 - 3,54,6 - 3,54,6 - 3,5
N90866	1.00		
103853		1 00	19 1 00 m mars - 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
M26326 1.00			1000
120433		1.00	1,100 E. S.
X64624		1.00	1.00
N99340		1.00	## 1000 pm 144 pm 145 pm 1
M81141			11.000
AF018570		1.00	100 <u>100 100 100 100 100 100 100 100 100</u>
AI207842	1.00		(000) (1000) (1000)
D87433	-		200 V
X00457 1.00	1		
9179 6X	1,00		8.21.00g.75 S. 2.00 S.
AF013611 1.00			4 1000 (
AF001548		1.00	




Figure 3a




Figure 3b1




Figure 3b2

7/490






Figure 4
Decision trees according to IE

5a) Pairwise Comparison of Normal BM and AMI

Selection of 127 differentially expressed genes based on a permutation test (K-Nearest Neighbour Imputer) Significance Analysis of Microarrays:




based on 127 significantly differentially expressed genes as selected by SAM = Significance Analysis of Microarrays



AML = normal BM =


bone marrow from healthy volunteers, n = 8 acute myeloid leukemia, n = 48




6a) Pairwise Comparison of Normal BM and ALL

Significance Analysis of Microarrays:

Selection of 186 differentially expressed genes based on a permutation test (K-Nearest Neighbour Imputer)




based on 186 significantly differentially expressed genes as selected by SAM = Significance Analysis of Microarrays



ALL = normal BM =


akute lymphoblastic leukemia, n = 9bone marrow from healthy volunteers, n = 8



7a) Pairwise Comparison of Normal BM and CMI


Significance Analysis of Microarrays:

Selection of 162 differentially expressed genes based on a permutation test (K-Nearest Neighbour Imputer)




based on 200 significantly differentially expressed genes as selected by SAM = Significance Analysis of Microarrays

7b) Principal Component Analysis



11 11 normal BM


bone marrow from healthy volunteers, n =8 chronic myeloid leukemia, n = 8




8a) Pairwise Comparison of Normal BM and CLL

Significance Analysis of Microarrays:


Selection of 200 differentially expressed genes based on a permutation test (K-Nearest Neighbor Imputer)



based on 200 significantly differentially expressed genes as selected by SAM = Significance Analysis of Microarrays




bone marrow from healthy volunteers, n =8 chronic lymphatic leukemia, n = 711 11 normal BM




9a) AML-WHO Classification

Selection of 124 differentially expressed genes based on a permutation test (K-Nearest Neighbor Imputer) Significance Analysis of Microarrays:




based on 124 significantly differentially expressed genes as selected by SAM = Significance Analysis of Microarrays



AML = normal BM =

4 distinct cytogenetic subgroups, n = 48 bone marrow from healthy volunteers, n =8


22/490



10a) Comparison of Normal BM versus Leukemia

Significance Analysis of Microarrays:

Selection of Top100 differentially expressed genes based on a permutation test (K-Nearest Neighbour Imputer)




11


normal BM

10b) Principal Component Analysis

based on 100 significantly differentially expressed genes as selected by SAM = Significance Analysis of Microarrays




WO 03/039443 PCT/EP02/12303





10c) Hierachical Cluster Analysis


Figure 11a




27/490










WO 03/039443 PCT/EP02/12303









Mean MLL Mean T





34/490


Figure 12f
















WO 03/039443 PCT/EP02/12303



37/490









Figure 13b



40/490





🔤 inv(16), AML M4eo 📳 t(8;21), AML M2 🔃 t(15;17), AML M3/M3v




Figure 16






Figure 17





WO 03/039443







Figure 20







49/490




219033_at, FLJ21308, ALL t(4;11) vs. all other




227407_at, ALL t(4;11) vs. all others












225653_at, ALL t(4;11) vs. AML inv(16)




221969_at, ALL t(4;11) vs. AML ML




210045_at, IDH2, ALL t(4;11) vs. CLL




221969_at, PAX5, ALL t(4;11) vs. CML



201828_x_at, CXX1, ALL t(4;11) vs. normal BM




210045_at, IDH2, ALL t(4;11) vs. ALL t(8;14)




237431_at, ALL t(4;11) vs. ALL B not Ph


PCT/EP02/12303




204069_at, MEIS1, ALL t(4;11) vs. ALL Ph




221969_at, PAX5, ALL t(4;11) vs. T-ALI




201828_x_at, CXX1, ALL t(4;11) vs. AML +8




221969_at, PAX5, ALL t(4;11) vs. AML complex




221969_at, PAX5, ALL t(4;11) vs. AML normal




212484_at, MTVR, ALL t(4;11) vs. AML t(8;21)




38487_at, FLJ12442, AML t(15;17) vs. all others




203948_s_at, MPO, AML t(15;17) vs. all others




204661_at, CDW52, AML t(15;17) vs. AML inv(16)




205624_at, CPA3, AML t(15;17) vs. AML MLI







201029_s_at, MIC2, AML t(15;17) vs. CML




225792_at, AML t(15;17) vs. normal BM




212400_at, AML t(15;17) vs. ALL t(8;14)




205382_s_at, DF, AML t(15;17) vs. ALL B not Ph







203949_at, MPO, AML t(15;17) vs. T-ALI




214450_at, CTSW, AML t(15;17) vs. AML +8




212953_x_at, CALR, AML t(15;17) vs. AML complex




212953_x_at, CALR, AML t(15;17) vs. AML normal




214450_at, CTSW, AML t(15;17) vs. AML t(8;21




233555_s_at, AML inv(16) vs. all others




202016_at, MEST, AML inv(16) vs. all others




200951_s_at, CCND2, AML inv(16) vs. AML MLI




203949_at, MPO, AML inv(16) vs. CLL



201029_s_at, MIC2, AML inv(16) vs. CML








225792_at, AML inv(16) vs. normales KM


· ·

 (\cdot)


214558_at, GPR12, AML inv(16) vs. ALL t(8;14)



205382_s_at, DF, AML inv(16) vs. ALL B not Ph




231310_at, AML inv(16) vs. ALL Ph




203949_at, MPO, AML inv(16) vs. T-ALI

Figure 65





WO 03/039443

233138_at, AML inv(16) vs. AML +8



209190_s_at, DIAPH1, AML inv(16) vs. AML complex







94/490

(FS;8)3 JMA Ismnon JMA AML complex 8+ JMA JJA-T ALL Ph ALL B not Ph ALL t(8;14) Normal BM CWF CFF **AML MLL** (91)vni JMA (Tr;31)3 JMA (**↓**↓:4)}


200675_at, CD81, AML inv(16) vs. AML complex



209365_s_at, ECM1, AML inv(16) vs. AML normal




214641_s_at, HOXA9, AML inv(16) vs. AML normal




ı


231310_at, AML inv(16) vs. AML normal




233138_at, AML inv(16) vs. AML t(8;21)



201105_at, LGALS1, AML MLL vs. all others



222982_x_at, SLC38A2, AML MLL vs. all others




· }

102/490 (12;8)3 JMA Ismnon JMA 238856_s_at, AML MLL vs. all others Xəlqmoo JMA 8+ JMA JJA-T Figure 76 ALL Ph ALL B not Ph ALL £(8;14) Normal BM CWF CLL **AML MLL** (81)vni JMA (Tr;81) JMA (11;4)1 JJA


WO 03/039443

PCT/EP02/12303


224838_at, AML MLL vs. CLL




209771_x_at, CD24, AML MLL vs. CMI



225792_at, AML MLL vs. normal BM




227173_s_at, BACH2, AML MLL vs. ALL t(8;14)




)


201482_at, QSCN6, AML MLL vs. ALL B not Ph








242292_at, AML MLL vs. T-ALI



212479_s_at, FLJ13910, AML MLL vs. AML +8




111/490 (FS;8)3 JMA 218172_s_at, PRO2577, AML MLL vs. AML +8 Ismnon JMA AML complex 8+ JMA JJA-T ALL Ph ALL B not Ph (41;8)1 JJA Ma Ismaol CWF CLL **AML MLL** (81)vni JMA (Tr;31)1 JMA (11;4)1 JJA

WO 03/039443


PCT/EP02/12303

WO 03/039443


202956_at, BIG1, AML MLL vs. AML +8




202746_at, AML MLL vs. AML complex




204951_at, ARHH, AML MLL vs. AML complex



205453_at, HOXB2, AML MLL vs. AML normal





225406_at, TSG, AML MLL vs. AML normal




)

201105_at, LGALS1, AML MLL vs. AML t(8;21)





210254_at, CLL vs. CML




(KS;8)1 JMA

Ismron JMA 204776_at, THBS4, CLL vs. normal BIM AML complex 8+ JMA JJA-T Figure 95 ALL Ph ALL B not Ph ALL 1(8;14) Normal BM CWL CFF **AML MLL** (81)vni JMA (Tr;31) JMA ALL t(4;11)


121/490

202580_x_at, FOXM1, CLL vs. ALL t(8;14)




225927_at, MAP3K1, CLL vs. ALL B not Ph

Figure 97




204663_at, ME3, CLL vs. ALL Ph




201417_at, CLL vs. T-ALL

Figure 99




204215_at, MGC4175, CLL vs. AML +8




igure 100

)


222680_s_at, RAMP, CLL vs. AML complex




224838_at, CLL vs. AML normal




205192_at, MAP3K14, CLL vs. AML t(8;21)




205557_at, BPI, CML vs. all others




209772_s_at, CD24, CML vs. all others




227198_at, CML vs. normal BM







206440_at, VELI1, CML vs. ALL B not Ph











212531_at, LCN2, CML vs. AML +8



212531_at, LCN2, CML vs. AML complex









Figure 114



227497_at, CML vs. all others




222147_s_at; normal BM vs. ALL t(8;14)





ì

201506_at, TGFBI, normal BM vs. ALL B not Ph












231241_at, normal BM vs. AML +8




231241_at, normal BM vs. AML complex




212531_at, LCN2, normal BM vs. AML normal




225792_at, normal BM vs. AML t(8;21)




225277_at, ALL t(8;14) vs. all others




214558_at, GPR12, ALL t(8;14) vs. all others





228211_at, ALL t(8;14) vs. all others



237864_at, ALL t(8;14) vs. all others








WO 03/039443 PCT/EP02/12303


156/490 (KS;8)3 JMA Ismron JMA 213772_s_at, GGA2, ALL t(8;14) vs. T-AL AML complex 8+ JMA JJA-T ALL Ph ALL B not Ph (41;8)1 JJA Mormal BM CWF CLL **AML MLL** (9f)vni JMA (Tr;3f)3 JMA (11;4)1 JJA

٠


213159_at, KIAA0805, ALL t(8;14) vs. AML +8




40148_at, APBB2, ALL t(8;14) vs. AML complex




212293_at, KIAA0630, ALL t(8;14) vs. AML complex




40148_at, APBB2, ALL t(8;14) vs. AML normal




40148_at, APBB2, ALL t(8;14) vs. AML t(8;21)




229487_at, ALL B nicht Ph vs. all others




212592_at, ALL B nicht Ph vs. all others




209197_at, KIAA0080, ALL B not Ph vs. all others




223469_at, MGC10812, ALL B not Ph vs. all others






WO 03/039443

218351_at, FLJ20502, ALL B not Ph vs. all others




220744_s_at, WDR10, ALL B not Ph vs. all others




213582_at, ATP11A, ALL B not Ph vs. all others


PCT/EP02/12303





219615_s_at, KCNK5, ALL B not Ph vs. all others




202123_s_at, ABL1, ALL B not Ph vs. ALL Ph









ì









176/490 (fS;8)3 JMA 202382_s_at, GNPI, ALL B not Ph vs. AML t(8;21) Ismnon JMA AML complex 8+ JMA JJA-T ALL Ph ALL B not Ph (41;8)3 JJA Ma IsmroN CWF CFF **JAM JMA** (81)vni JMA (Tr;81)3 JMA (rt;4)} JJA

227998_at, MGC17528, ALL Ph vs. all others




221969_at, PAX5, ALL Ph vs. T-ALL




,


234107_s_at, ALL Ph vs. AML +8




214641_s_at, HOXA9, ALL Ph vs. AML complex




214641_s_at, HOXA9, ALL Ph vs. AML normal



212013_at, D2S448, ALL Ph vs. AML normal







WO 03/039443


209604_s_at, GATA3, T-ALL vs. all others

PCT/EP02/12303




233589_x_at, T-ALL vs. all others






207543_s_at, P4HA1, T-ALL vs. AML complex




ì






202479_s_at, GS3955, T-ALL vs. AML normal

Figure 163




ij

242292_at, T-ALL vs. AML t(8;21)




226165_at, E2F5, AML +8 vs. all others


Figure 165




212586_at, ARTS-1, AML +8 vs. AML complex




226545_at, AML +8 vs. AML complex







210715_s_at, SPINT2, AML +8 vs. AML complex




217979_at, NET-6, AML +8 vs. AML complex




201548_s_at, PLU-1, AML +8 vs. AML complex




212251_at, AML +8 vs. AML normal



200608_s_at, RAD21, AML complex vs. all others




219793_at, SNX16, AML complex vs. all others




WO 03/039443

209523_at, AML complex vs. all others


ነ




200093_s_at - HG-U133B, HINT1, AML complex vs. AML normal




201922_at, YR-29, AML complex vs. AML normal




239791_at, HOXB6, AML complex vs. AML normal




200608_s_at, RAD21, AML complex vs. AML normal




211950_at, RBAF600, AML complex vs. AML normal






.




)

236892_s_at, HOXB6, AML normal vs. all others




205366_s_at, HOXB6, AML normal vs. All others




PCT/EP02/12303


WO 03/039443










204150_at, STAB1, AML t(15;17)









WO 03/039443

PCT/EP02/12303

219/490

WO 03/039443

208091_s_at, DKFZP564K0822, CLL

Figure 193

, K


PCT/EP02/12303

208456_s_at, RRAS2, CLL

Figure 194


1

209061_at, NCOA3, CLL



(11;4)J JJA

38487_at, FLJ12442, AML t(15;17)




PCT/EP02/12303

201162_at, IGFBP7, CLL


Figure 198

201163_s_at, IGFBP7, CLL

Figure 199









`)








(KS;8)3 JMA

Ismnon JMA 201496_x_at, MYH11, AML inv(16) AML complex 8+ JMA JJA-T ALL Ph Figure 203 ALL B not Ph (41;8)1 JJA Normal BM CWL CFF **AML MLL** (8f)vni JMA (Tr;31)) JMA (11;4)1 JJA







}

201497_x_at, MYH11, AML inv(16)


Figure 205


























PCT/EP02/12303

(FS;8)3 JMA

| (rr;4)1 |


214450_at, CTSW, AML t(15;17)









239/490





1




í










WO 03/039443

PCT/EP02/12303

241464_s_at, AML MLL, AML normal, AML +8, AML complex


245/490 Figure 219




`)


(Tr;81)3 JMA

ALL t(4;11)










-<u>.</u>

228904_at, AML normal, AML +8, AML complex

226496_at, ALL, CLL


Figure 227

253/490





254/490



Filor 225650 et. Ut. 1002- 2003.6


(rr;4); 77A

256

WO 03/039443

PCT/EP02/12303

(15;8)3 JMA



WO 03/039443

•

PCT/EP02/12303









Figure 234



























Figure 243








L

























Figure 253






























Figure 263















Figure 268

WO 03/039443









218549_s_at, LOC51115, trisomy 8 vs. other aberrant

Figure 272




235647_at, trisomy 8 vs. all other AML




231981_at, trisomy 8 vs. all other AML


Figure 274




229848_at, ZNF10, trisomy 8 vs. ather aberrant




212586_at, ARTS-1, trisomy 8 vs. complex




226545_at, trisomy 8 vs. complex



210715_s_at, SPINT2, trisomy 8 vs. complex




217979_at, NET-6, trisomy 8 vs. complex




201548_s_at, PLU-1, trisomy 8 vs. complex

Figure 281




212251_at, trisomy 8 vs. normal


Figure 282




228827_at, trisomy 8 vs. t(8;21)




214450_at, CTSW, trisomy 8 vs. t(15;17)




233138_at, trisomy 8 vs. inv(16)




212479_s_at, FLJ13910, trisomy 8 vs. ML




218172_s_at, PRO2577, trisomy 8 vs. MLI







202956_at, BIG1, trisomy 8 vs. MLI



236648_at, other aberrant vs. all other AMI




228660_x_at, SEMA4F, other aberrant vs. all other AML




211819_s_at, SH3D5, other aberrant vs. complex

Figure 292




233328_x_at, other aberrant vs. complex

Figure 293




229003_x_at, other aberrant vs. complex




233328_x_at, other aberrant vs. normal






213725_x_at, other aberrant vs. normal




221770_at, RPE, other aberrant vs. t(8;21)

Figure 297




227224_at, other aberrant vs. inv(16)


Figure 299



232125_at, other aberrant vs. MLI




200608_s_at, RAD21, complex vs. all other AML



PCT/EP02/12303


209085_x_at, RFC1, complex vs. all other AML

Figure 302




201922_at, YR-29, complex vs. normal

Figure 303




239791_at, HOXB6, complex vs. normal




200608_s_at, RAD21, complex vs. normal


Figure 305




211950_at, RBAF600, complex vs. normal




228827_at, complex vs. t(8;21)



204249_s_at, LMO2, complex vs. t(8;21




212953_x_at, CALR, complex vs. t(15;17)




ŀ

209190_s_at, DIAPH1, complex vs. inv(16)




201497_x_at, MYH11, complex vs. inv(16)




200675_at, CD81, complex vs. inv(16)


Figure 312



204951_at, ARHH, complex vs. MLL




236892_s_at, HOXB6, normal vs. all other AMI




يه -

228904_at, normal vs. all other AML




200679_x_at, HMG1, normal vs. all other AML

Figure 317




PCT/EP02/12303


225326_at, KIAA1311, normal vs. all other AML




228827_at, normal vs. t(8;21)




212953_x_at, CALR, normal vs. t(15;17)



209365_s_at, ECM1, normal vs. inv(16)





231310_at, normal vs. inv(16)



WO 03/039443 PCT/EP02/12303


202370_s_at, CBFB, normal vs. inv(16)






351/

225406_at, TSG, normal vs. Ml




)


222464_at, C15orf15, normal vs. MLL




205529_s_at, CBFA2T1, t(8;21) vs. all other AML



214450_at, CTSW, t(8;21) vs. t(15;17)




233138_at, t(8;21) vs. inv(16)




356/490

201105_at, LGALS1, t(8;21) vs. ML

Figure 330




203948_s_at, MPO, t(15;17) vs. all other AMI




204661_at, CDW52, t(15;17) vs. inv(16)


Figure 332




205624_at, CPA3, t(15;17) vs. MLL



201497_x_at, MYH11, inv(16) vs. all other AMI




200951_s_at, CCND2, inv(16) vs. ML




١

228083_at, MLL vs. all other AML







635_s_at, PPP2R5B, other low




34210_at, CDW52, AML t(15;17) low




38487_at, FLJ12442, AML t(15;17) high



ì




201137_s_at, HLA-DPB1, AML t(15;17) low




b


201425_at, ALDH2, AML t(8;21) low




201496_x_at, MYH11, AML inv(16) high



201497_x_at, MYH11, AML inv(16) high




201596_x_at, KRT18, AML t(8;21) low




ì

202085_at, TJP2, AML inv(16) low



202619_s_at, PLOD2, AML MLL low




374/490

שרר (9t)vni (16;17) r(8;21)-Figure 348 normal complex. other aberrant 8 ymosit


202718_at, IGFBP2, AML t(15;17) high

202746_at, AML MLL low




203074_at, ANXA8, AML t(15;17) high

ነ




203092_at, TIMM44, AML inv(16) low




)


203151_at, MAP1A, AML t(8;21) low



205528_s_at, CBFA2T1, AML t(8;21) high




380/490





205529_s_at, CBFA2T1, AML t(8;21) high

204425_at, ARHGAP4, AML t(15;17) low




205366_s_at, HOXB6, AML t(8;21) low, AML t(15;17) low, AML low AML inv(16) low, AML MLL low







205472_s_at, DACH, AML MLL high









228660_x_at, SEMA4F, other high



206761_at, TACTILE, AML MLL low




206940_s_at, POU4F1, AML t(8;21) high




211341_at, POU4F1, AML t(8;21) high


}




212850_s_at, LRP4, AML inv(16) high



_ 222166_at, AML +8 low




222335_at, AML MLL low




223318_s_at, MGC10974, AML complex low

•




228827_at, AML t(8;21) high




ì


228904_at, AML t(8;21) low, AML t(15;17) low, AML MLL low





231277_x_at, AML complex low


١































Figure 379








































































219013_at, FLJ21634, ALL vs. all others



243362_s_at, LEF1, ALL vs. all others




Figure 406

204215_at, MGC4175, ALL vs. AML






Figure 407

225927_at, MAP3K1, ALL vs. CLL



205557_at, BPI, ALL vs. CML

Figure 409



223280_x_at, MS4A6A, ALL vs. normal BM




Figure 410


224356_x_at, MS4A6A, ALL vs. normal BM

437/490

CML BM CLL **AML** ALL

Figure 411

218916_at, FLJ23436, ALL vs. normal BM



221969_at, PAX5, AML vs. all others




Figure 413

206398_s_at, CD19, AML vs. Rest




Figure 414

223514_at, CARD11, AML vs. CLL





Figure 415

207802_at, SGP28, AML vs. CML



209772_s_at, CD24, AML vs. CML






Figure 417

206676_at, CEACAM8, AML vs. CML



203936_s_at, MMP9, AML vs. CML



201029_s_at, MIC2, AML vs. CML





Figure 420

447/490

ALL

223894_s_at, FTS, AML vs. CML

207269_at, DEFA4, AML vs. CML



202018_s_at, LTF, AML vs. normal BM

449/490

CML BM CLL ALL

Figure 423

239287_at, CLL vs. all others

450/490 CML BM CL **AML** ALL

Figure 424

PCT/EP02/12303






Figure 425

210613_s_at, SYNGR1, CLL vs. normal BM



453/490

205557_at, BPI, CML vs. all others



209772_s_at, CD24, CML vs. all others

٧,





Figure 428


227198_at, CML vs. normal BM



231241_at, normal BM vs. all others



227497_at, normal BM vs. all others



202580_x_at, FOXM1, CLL




Figure 43%

202709_at, FMOD, CLL




Figure 433

202503_s_at, KIAA0101, CLL




Figure 434

204882_at, KIAA0053, CLL




Figure 435

218090_s_at, CLL




Figure 436

211352_s_at, NCOA3, CLL




Figure 43

217950_at, NOSIP, CLL




Figure 438



Figure 439

226147_s_at, CLL





Figure 440

239287_at, CLL



igure 44

205051_s_at, KIT, AML




Figure 442

214761_at, OAZ, ALL





Figure 443

231854_at, CML



-igure 444

211404_s_at, APLP2, AML




Figure 445

205382_s_at, DF, AML high




Figure 446

205599_at, TRAF1, CML absent, CLL high




Figure 44

210948_s_at, LEF1, lymphatic high

474/490 CML BM CL **AML** ALL

Figure 448

206398_s_at, CD19, lymphatic high




Figure 449

229487_at, ALL high




Figure 450

206255_at, BLK, lymphatic high




Figure 451

243362_s_at, LEF1, ALL high




Figure 452

205049_s_at, CD79A, lymphatic high




Figure 45

205382_s_at, DF, AML high




Figure 454

210487_at, DNTT, ALL high





Figure 455

218516_s_at, FLJ20421, normal BM absent



igure 456

218916_at, FLJ23436, normal BM absent

483/490 CLL AML ALL

Figure 457

219753_at, STAG3, ALL high




Figure 458

221969_at, PAX5, lymphatic high





Figure 459

223703_at, CDA017, myeloid and BM high



<u>igure 460</u>

243363_at, LEF1, lymphatic high




Figure 461

41577_at, PPP1R16B, CML low




Figure 46

229790_at, TERF2, CML, BM low




Figure 460

231736_x_at, MGST1, myeloid and BM high

ŧ




Figure 464

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 15 May 2003 (15.05.2003)

(10) International Publication Number WO 2003/039443 A3

(51) International Patent Classification7: C12Q 1/68

(21) International Application Number:

PCT/EP2002/012303

(22) International Filing Date:

4 November 2002 (04.11.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

01126244.1 02009758.0

5 November 2001 (05.11.2001) 30 April 2002 (30.04.2002)

(71) Applicants (for all designated States except US): KREBSFORSCHUNGSZENTRUM DEUTSCHES [DE/DE]; Im Neuenheimer Feld 280, 69120 Heidelberg (DE). LUDWIG-MAXIMILIANS -UNIVERSITÄT [DE/DE]; Geschwister-Scholl-Platz 1, 80539 Munich (DE).

(71) Applicants and

(72) Inventors: HAFERLACH, Torsten [DE/DE]; Springerstrasse 8, 81477 Munich (DE). SCHOCH, Claudia [DE/DE]; Springerstrasse 8, 81477 Munich (DE). KERN, Wolfgang [DE/DE]; Hanfelder Strasse 101, 82319 Starnberg (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): KOHLMANN, Alexander [DE/DE]; Schwarzstrasse 14, 92318 Neumarkt (DE). SCHNITTGER, Susanne [DE/DE]; Saalburgstrasse 2a, 81375 Munich (DE). DUGAS, Martin [DE/DE]; Am Heidebruch 6, 81377 Munich (DE). EILS, Roland [DE/DE]; Strahlenberger Strasse 26, 69198 Schriesheim (DE). BRORS, Benedikt [DE/DE]; Im Linsenbühl 42, 69221 Dossenheim (DE). MERGEN-THALER, Susanne [DE/DE]; Grubmühlerfeldstr. 19, 82131 Gauting (DE).

- (74) Agent: VOSSIUS & PARTNER; Siebertstrasse 4, 81675 Munich (DE).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

(88) Date of publication of the international search report: 19 August 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NOVEL GENETIC MARKERS FOR LEUKEMIAS

(57) Abstract: The present invention is related to methods for detecting leukemia cells by determing the expression profile of a group of markers. In particular, the type or subtype of leukemia cells in a sample is determined. Further, uses of the group of markers is discloses and compositions comprising these markers.

internation Application No PCT/EP 02/12303

		,	1 1
A. CLASSIF IPC 7	CATION OF SUBJECT MATTER C12Q1/68		
According to	international Patent Classification (IPC) or to both national classific	ation and IPC	
B. FIELDS			
Minimum doe IPC 7	umentation searched (classification system followed by classificat ${\tt C12Q}$	on symbols)	
Documentati	on searched other than minimum documentation to the extent that a	such documents are included in the field	s searched
EPO-In	la base consulted during the International search (name of data be cernal, MEDLINE, BIOSIS, SCISEARCH, ce Search		
C. DOCUME	NTS CONSIDERED TO BE RELEVANT	· · · · · · · · · · · · · · · · · · ·	
Category °	Citation of document, with indication, where appropriate, of the re	levant passages	Relevant to claim No.
Υ	GOLUB T R ET AL: "Molecular classification of cancer: Class and class prediction by gene expenditoring" SCIENCE, AMERICAN ASSOCIATION FOR ADVANCEMENT OF SCIENCE, US, vol. 286, no. 5439, 15 October 1999 (1999-10-15), p. 531-537, XP002207658 ISSN: 0036-8075 cited in the application the whole document	oression OR THE	1-3, 9-11, 16-42, 44,45, 48,53-55
Y Fur	her documents are listed in the continuation of box C.	X Patent family members are	listed in annex.
"A" docum consi "E" earlier filing	tlegories of cited documents : ent defining the general state of the art which is not dered to be of particular relevance document but published on or after the international date	"T" later document published after the or priority date and not in conflicted to understand the principle invention "X" document of particular relevance cannot be considered novel or involve an inventive step when	e international filing data it with the application but e or theory underlying the or, the claimed invention cannot be considered to
which citation of the citation of the country of the country of the country of the country of the citation of	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another in or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but han the priority date claimed	"Y" document of particular relevance cannot be considered to involve document is combined with one ments, such combination being in the art. "&" document member of the same particular in the same particular	o; the claimed invention e an inventive step when the e or more other such docu- obvious to a person skilled
Į	actual completion of the International search December 2003	Date of mailing of the internation	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3018	Authorized officer Hagenmaier, S	

Internation Application No
PCT/EP 02/12303

		PCT/EP 02/12303		
C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.		
	-& "CAMP: "Microarray Gene Expression Data""[Online] XP002263385 Retrieved from the Internet: <url:http: cgi-b="" genome-www5.stanford.edu="" in="" source="" sourceresult=""> [retrieved on 2003-11-24] the whole document</url:http:>			
Y	EP 1 043 676 A (WHITEHEAD BIOMEDICAL INST) 11 October 2000 (2000-10-11) the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55		
Y	ALIZADEH A A ET AL: "DISTINCT TYPES OF DIFFUSE LARGE B-CELL LYMPHOMA IDENTIFIED BY GENE EXPRESSION PROFILING" NATURE, MACMILLAN JOURNALS LTD. LONDON, GB, vol. 403, 3 February 2000 (2000-02-03), pages 503-512, XP002943414 ISSN: 0028-0836 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55		
Y	ALIZADEH A ET AL: "THE LYMPHOCHIP: A SPECIALIZED CDNA MICROARRAY FOR THE GENOMIC-SCALE ANALYSIS OF GENE EXPRESSION IN NORMAL AND MALIGNANT LYMPHOCYTES" COLD SPRING HARBOR SYMPOSIA ON QUANTITATIVE BIOLOGY, BIOLOGICAL LABORATORY, COLD SPRING HARBOR, NY, US, vol. 64, no. 1, 1999, pages 71-78, XP001099007 ISSN: 0091-7451 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55		
Y	VIRTANEVA K ET AL: "EXPRESSION PROFILING REVEALS FUNDAMENTAL BIOLOGICAL DIFFERENCES IN ACUTE MYELOID LEUKEMIA WITH ISOLATED TRISOMY 8 AND NORMAL CYTOGENETICS" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, NATIONAL ACADEMY OF SCIENCE. WASHINGTON, US, vol. 98, no. 3, 30 January 2001 (2001-01-30), pages 1124-1129, XP002952627 ISSN: 0027-8424 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55		

Internation Application No
PCT/EP 02/12303

		PC1/EP 02/12303		
C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
Υ	WO 96/08508 A (GUDMUNDSSON GUDMUNDUR H; BOMAN HANS G (SE); GUNNE HANS (SE); AGERB) 21 March 1996 (1996-03-21)	1-3, 9-11, 16-42, 44,45, 48,53-55		
	the whole document			
Y	AGERBERTH B ET AL: "FALL-39, a putative human peptide antibiotic, is cysteine-free and expressed in bone marrow and testis." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA. UNITED STATES 3 JAN 1995, vol. 92, no. 1,	1-3, 9-11, 16-42, 44,45, 48,53-55		
	3 January 1995 (1995-01-03), pages 195-199, XP002263224 ISSN: 0027-8424 the whole document			
Y	NAGAOKA I ET AL: "Evaluation of the expression of human CAP18 gene during neutrophil maturation in the bone marrow." JOURNAL OF LEUKOCYTE BIOLOGY. UNITED STATES DEC 1998, vol. 64, no. 6, December 1998 (1998-12), pages 845-852, XP008025075 ISSN: 0741-5400 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55		
А	MIYAZATO A ET AL: "IDENTIFICATION OF MYELODYSPLASTIC SYNDROME-SPECIFIC GENES BY DNA MICROARRAY ANALYSIS WITH PURIFIED HEMATOPOIETIC STEM CELL FRACTION" BLOOD, W.B.SAUNDERS COMPAGNY, ORLANDO, FL, US, vol. 98, no. 2, 15 July 2001 (2001-07-15), pages 422-427, XP002952629 ISSN: 0006-4971 the whole document			
A	ROSS D T ET AL: "SYSTEMATIC VARIATION IN GENE EXPRESSION PATTERNS IN HUMAN CANCER CELL CEL LINES" NATURE GENETICS, NATURE AMERICA, NEW YORK, US, vol. 24, March 2000 (2000-03), pages 227-235, XP002933374 ISSN: 1061-4036 the whole document			

International Application No
PCT/EP 02/12303

	ton) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages SORLIE T ET AL: "Gene expression patterns	Relevant to claim No.
		Relevant to claim No.
A	CODITE T ET Al. "Gone evoression natterns	
	of breast carcinomas distinguish tumor subclasses with clinical implications." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA. UNITED STATES 11 SEP 2001, vol. 98, no. 19, 11 September 2001 (2001-09-11), pages 10869-10874, XP002215483 ISSN: 0027-8424 the whole document	
P, Y	SCHOCH CLAUDIA ET AL: "Acute myeloid leukemias with reciprocal rearrangements can be distinguished by specific gene expression profiles." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA. UNITED STATES 23 JUL 2002, vol. 99, no. 15, 23 July 2002 (2002-07-23), pages 10008-10013, XP002215484 ISSN: 0027-8424 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55
P , Y	WO 02/24956 A (DANA FARBER CANCER INST INC ;RAMASWAMY SRIDHAR (US); WHITEHEAD BIO) 28 March 2002 (2002-03-28)	1-3, 9-11, 16-42, 44,45, 48,53-55
	the whole document	
P,Y	KOHLMANN A ET AL: "GENE EXPRESSION PROFILES OF DISTINCT AML SUBTYPES IN COMPARISON TO NORMAL BONE MARROW" BLOOD, W.B.SAUNDERS COMPAGNY, ORLANDO, FL, US, vol. 98, no. 11, PART 1, 16 November 2001 (2001-11-16), page 91A,AN380, XP001108980 ISSN: 0006-4971 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55
Р,Ү	DUGAS M ET AL: "A comprehensive leukemia database: integration of cytogenetics, molecular genetics and microarray data with clinical information, cytomorphology and immunophenotyping." LEUKEMIA: OFFICIAL JOURNAL OF THE LEUKEMIA SOCIETY OF AMERICA, LEUKEMIA RESEARCH FUND, U.K. ENGLAND DEC 2001, vol. 15, no. 12, December 2001 (2001-12), pages 1805-1810, XP002263731 ISSN: 0887-6924 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55
	-/	

Internation Application No
PCT/EP 02/12303

		PCT/EP 02/12303
C.(Continua	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.
P, Y	YEOH E-J ET AL: "Classification, subtype discovery, and prediction of outcome in pediatric acute lymphoblastic leukemia by gene expression profiling" CANCER CELL, XX, US, vol. 1, no. 2, March 2002 (2002-03), pages 133-143, XP002253604 ISSN: 1535-6108 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55
P,Y	TAVOR SIGAL ET AL: "A model for C/EBPalpha-induced differentiation of BCR-ABL+ CML blast cells" BLOOD, vol. 98, no. 11 Part 1, 16 November 2001 (2001-11-16), page 143a, XP002263225 43rd Annual Meeting of the American Society of Hematology, Part 1;Orlando, Florida, USA; December 07-11, 2001 ISSN: 0006-4971 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55
P,A	DATABASE GENESEQ [Online] EBI; 14 August 2002 (2002-08-14), BEAZER-BARCLAY ET AL.: "HUMAN cDNA DIFFERENTIALLY EXPRESSED IN GRANULOCYTIC CELLS" XP002263228 Database accession no. ABK84778 abstract	
T	YANG YING-HUA ET AL: "Expression of LL-37/hCAP-18 gene in human leukemia cells." LEUKEMIA RESEARCH, vol. 27, no. 10, October 2003 (2003-10), pages 947-950, XP002263226 ISSN: 0145-2126 (ISSN print) the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55
Т	HAFERLACH TORSTEN ET AL: "The Diagnosis of 14 Specific Subtypes of Leukemia Is Possible Based on Gene Expression Profiles: A Study on 263 Patients with AML, ALL, CML, or CLL." BLOOD, vol. 100, no. 11, 16 November 2002 (2002-11-16), page Abstract No. 523, XP002263227 44th Annual Meeting of the American Society of Hematology; Philadelphia, PA, USA; December 06-10, 2002 ISSN: 0006-4971 the whole document	1-3, 9-11, 16-42, 44,45, 48,53-55

Internation pplication No
PCT/EP 02/12303

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT			
		- In	Januari Na alaba Na
Category °	Citation of document, with indication, where appropriate, or the relevant passages		elevant to claim No.
Category °	KOHLMANN ALEXANDER ET AL: "Molecular characterization of acute leukemias by use of microarray technology." GENES, CHROMOSOMES & CANCER. UNITED STATES AUG 2003, vol. 37, no. 4, August 2003 (2003-08), pages 396-405, XP008025253 ISSN: 1045-2257 the whole document	R	1-3, 9-11, 16-42, 44,45, 48,53-55

International application No. PCT/EP 02/12303

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2. X Claims Nos.: 1-3, 9-11,16-42,44,45,48,53-55 (all partially) because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically: See FURTHER INFORMATION sheet PCT/ISA/210
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
see additional sheet
As all required additional search fees were timely paid by the applicant, this international Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-3, 9-11, 16-42, 44, 45, 48, 53-55 (all partially)
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 1-3, 9-11,16-42,44,45,48,53-55 (all partially)

Claims 1-3, 9-11,16-42,44,45,48,53-55 are directed to methods, kits and compositions which relate to an extremely large number of possible marker groups comprising the CAMP marker. In fact, the claims contain so many possible permutations that a lack of conciseness within the meaning of Article 6 PCT arises to such an extent as to render a meaningful search over the whole of the claimed scope impossible. Consequently, the search has been limited to methods, kits and compositions relating to CAMP as such.

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1-3, 9-11,16-42,44,45,48,53-55 (all partially)

Invention 1:

Methods relating to diagnosis and therapy of leukemia comprising determining the expression profile of a group of markers in a patient sample characterized in that one marker is CAMP; kit comprising a reagent for assessing the expression profile of CAMP; protein or mRNA, cDNA or cRNA corresponding to CAMP for the treatment of leukemia; a composition comprising a group of markers and substances chemically different to the markers characterized in that the group of markers comprise CAMP.

2. claims: 1-55 (all partially)

Inventions 2-3309:

Methods relating to diagnosis and therapy of leukemia comprising determining the expression profile of a group of markers in a patient sample characterized in that one marker is SYNE-1B; kit comprising a reagent for assessing the expression profile of SYNE-1B; protein or mRNA, cDNA or cRNA corresponding to SYNE-1B for the treatment of leukemia; a composition comprising a group of markers and substances chemically different to the markers characterized in that the group of markers comprise SYNE-1B.

..ibidem for each marker listed in tables 1-20,25-27,29,30,32,33,35,36,38,39,41,42

Information on patent family members

International optication No
PCT/EP 02/12303

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 1043676	A	11-10-2000	CA EP JP US US	2304876 A1 1043676 A2 2001017171 A 2003017481 A1 6647341 B1 2003073083 A1	09-10-2000 11-10-2000 23-01-2001 23-01-2003 11-11-2003 17-04-2003
WO 9608508	A	21-03-1996	AU SE WO	3536895 A 9403055 A 9608508 A1	29-03-1996 14-03-1996 21-03-1996
WO 0224956	Α	28-03-2002	AU EP WO US	9280201 A 1339872 A2 0224956 A2 2002110820 A1	02-04-2002 03-09-2003 28-03-2002 15-08-2002